IMPORT HEALTH REQUIREMENTS OF TURKMENISTAN FOR SHEEP AND GOATS EXPORTED FROM THE UNITED STATES

The animals must be accompanied by a U.S. Origin Health Certificate issued by a veterinarian authorized by the U.S. Department of Agriculture (USDA) and endorsed by a Veterinary Services veterinarian. The certification shall contain the name and address of the consignor and the consignee and complete identification of the animals to be exported. Additional information must include:

CERTIFICATION STATEMENTS

- 1. The United States has been free of foot-and-mouth disease, contagious bovine pleuropneumonia, African swine fever, rinderpest, sheep pox, goat pox, and sheep scabies for at least 3 years.
- 2. The animals to be exported are not affected with or have not been exposed to scrapie, nor have they been on any farm that was a source flock premises. The animals are not the sires or dams or full or half sisters or brothers of any animal affected with scrapie.
- 3. The animals originated from premises that has been clinically free of Johne's disease, bluetongue, contagious ecthyma (sour mouth), Maedi-visna, vesicular stomatitis, leptospirosis, vibriosis and listeriosis during the last 12 months prior to export.
- 4. The animals originated from a State that has been free of vesicular stomatitis for the last 12 months prior to export.

TEST REQUIREMENTS

The animals were negative to the following tests.

1. Tuberculosis: Intradermal caudal fold test using bovine PPD tuberculin within 60 days of export;

TURKMENISTAN/Sheep & Goats

- 2. Brucellosis: (a) Goats standard tube agglutination test at 1:50 dilution within 45 days of export;
 - (b) Sheep complement fixation (CF) test at 1:10 dilution for <u>B</u>. <u>ovis</u> within 45 days of export;
- 3. Johne's disease: Complement fixation (CF) test at 1:8 dilution or fecal culture test within 45 days of export;
- 4. Leptospirosis:

 Microscopic agglutination test at 1:400 dilution for serotypes <u>L</u>. <u>canicola</u>, <u>L</u>. <u>pomona</u>, and <u>L</u>. <u>icterohaemorrhagiae</u>. <u>L</u>. <u>hardjo</u> and <u>L</u>. <u>grippotyphosa</u> within 45 days of export or the animals were vaccinated for leptospirosis within 45 days of export; and
- 5. Bluetongue: CF test at 1:5 dilution or agar gel immunodiffusion test or ELISA test or virus isolation from the whole blood.

EMBARKATION STATEMENTS

At the port of embarkation, a Veterinary Services port veterinarian shall attach the Certificate of Inspection of Export Animals (VS Form 17-37) to the Origin Health Certificate. The 17-37 must show:

- 1. The name and address of the consignor;
- 2. The name and address of the consignee;
- 3. The number and species of animals to be shipped; and
- 4. A statement that the animals have, within 24 hours of embarkation, been given a careful veterinary inspection at the port of embarkation and found free from evidence of communicable disease and exposure thereto.

TURKMENISTAN/Sheep & Goats